	Application No.	Applicant(s)
Notice of Allowability	08/869,275	WITTWER ET AL.
	Examiner	Art Unit
	Jeffrey Fredman	1637
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>2/10/06</u> .		
2. The allowed claim(s) is/are <u>13-18,20,22-35,55-59,79,80,82,121-132,134-140,145-152,154-158,160,169-195 and 197.</u>		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0	6. Interview Summary Paper No./Mail Da	te
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material		ent of Reasons for Allowance
		JEFFREY FREDMAN PRIMARY EXAMINER

Application/Control Number: 08/869,275 Page 2

Art Unit: 1637

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on February 10, 2006 has been entered.

REASONS FOR ALLOWANCE

2. The following is an examiner's statement of reasons for allowance: All of the pending claims have the requirement that the carousel is rotatably mounted in the chamber of the PCR system. This includes claims 121 and 122, which were previously indicated as rejected and are not amended. Upon consideration of this limitation and Applicant's arguments, it is clear that Fields does not teach or suggest placement of the carousel into the chamber of the PCR system. Applicant correctly notes that Clark is not prior art since Applicant receives benefit of priority to the parent application for this limitation. Similarly, the Schiffman reference cannot be combined with Fields to obtain the PCR instrument with a carousel rotably mounted in the chamber since there is no motivation to combine these teachings. Additionally, placement of the carousel into the chamber would be unobvious and perhaps even lack expectation of success because the carousel would cause mechanical vibrations which could interfere with the amplification or detection processes. Therefore, in the absence of any teaching to place

Application/Control Number: 08/869,275 Page 3

Art Unit: 1637

the carousel into the chamber and in absence of any motivation or suggestion in the art to alter the device of Fields, the claimed invention is novel and unobvious over the cited prior art.

3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jeffrey Fredman whose telephone number is (571)272-0742. The examiner can normally be reached on 6:30-3:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gary Benzion can be reached on (571)272-0782. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jeffrey Fredman Primary Examiner Art Unit 1637